INTERNATIONAL STANDARD

ISO 18417

First edition 2017-03

Iodine charcoal sorbents for nuclear facilities — Method for defining sorption capacity index

Pièges à iode pour installations nucléaires — Méthode pour définir la capacité de rétention





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents			Page	
Fore	eword		iv	
Intro	roduction		v	
1	Scope		1	
2	Normative references		1	
3	Terms and definitions		1	
4	Principles of the method		2	
5	5.1 General	idity into the installation	4 4	
	5.4 Preparation of sorbent samples5.5 Measuring devices5.6 Conditions for achieving equilibria	um during the test	5 6	
6		nembers of the public		
7	Sorbent testing			
8	Test performance		9	
9	9.1 Sorption capacity index determin9.2 Calculating sorption capacity index	y index ation ex	10	
10	Documenting test results		13	
Ann	nex A (normative) Format of test report (fo	r the customer)	14	
Ann	nex B (normative) Format of internal test r	eport	15	
Annex C (normative) Measurements results			16	
Annex D (informative) Example of expected results for sorption capacity index			17	
Bibl	liography		19	