
**Styrene-butadiene rubber (SBR) —
Determination of the microstructure
of solution-polymerized SBR —**

**Part 2:
FTIR with ATR method**

*Caoutchouc styrène-butadiène (SBR) — Détermination de la
microstructure du SBR polymérisé en solution —*

Partie 2: Méthode FTIR avec ATR



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Principle	1
4 Apparatus	2
5 Calibration	2
5.1 FTIR.....	2
5.2 ATR.....	2
6 Sampling	2
7 Procedure for measuring ATR spectrum	2
8 Determination of the microstructure of butadiene and the styrene content	3
8.1 Measurement of the absorbance for each microstructure component.....	3
8.2 Calculation of microstructures.....	4
8.2.1 General.....	4
8.2.2 Base line correction of each absorbance peak.....	5
8.2.3 Ratio of absorbance.....	5
8.2.4 Second order terms.....	5
8.2.5 Styrene content and microstructures in mass % by regression formulae.....	5
8.2.6 Microstructures in mol %.....	6
9 Precision	6
10 Test report	6
Annex A (informative) Precision results from an interlaboratory test programme	8
Annex B (informative) Acquisition of regression formulae for microstructure	10
Annex C (informative) Determination of microstructure by NMR spectrometry	12
Bibliography	16