

TECHNICAL REPORT

ISO/TR
16689

First edition
2012-05-01

Anodizing of aluminium and its alloys — Experimental research on possible alternative sealing quality test methods to replace the phosphoric acid/chromic acid immersion test — Evaluation of correlations

*Anodisation de l'aluminium et ses alliages — Recherche expérimentale
sur les méthodes alternatives possibles d'essai de qualité de colmatage
pour remplacer l'essai d'immersion dans l'acide phosphochromique —
Évaluation des corrélations*

ISO/TS 16689:2012



Reference number
ISO/TR 16689:2012(E)

© ISO 2012



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Literature research	2
2.1 General	2
2.2 Acidified sulfite test (Kape test)	2
2.3 Acetic acid/sodium acetate solution test	2
2.4 Chromic/phosphoric acid solution test	3
2.5 Sulfuric acid solution test	4
3 Materials and experimental	4
3.1 Anodizing	4
3.2 Sealing	4
3.3 Measurements of sealing quality	5
4 Results	7
4.1 Masking of cut surfaces	7
4.2 Bare aluminium and dissolution in the dissolution tests	7
4.3 Hot sealing	7
4.4 Cold sealing (two step)	13
4.5 Nickel-based medium temperature sealing	17
4.6 Nickel-free medium temperature sealing	21
5 Discussion	24
6 Conclusion	26
Annex A (Informative) Qualanod working group report	27
Bibliography	30