

TECHNICAL SPECIFICATION

ISO/TS
13447

First edition
2013-03-15

Fire safety engineering — Guidance for use of fire zone models

*Ingénierie de la sécurité incendie — Guide sur l'utilisation de modèles
incendie de zone*



Reference number
ISO/TS 13447:2013(E)



Licensee=University of Alberta/5966844001, User=sharabiani, shahramfs
Not for Resale, 11/30/2013 22:25:32 MST

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols (and abbreviated terms)	1
5 General description of fire zone models	2
5.1 What is a fire zone model?	2
5.2 Applications	2
5.3 Advantages	3
5.4 General principles, assumptions and consequences	3
6 Input parameters and data sources for zone fire models	5
6.1 Enclosure geometry	5
6.2 Multiple rooms	6
6.3 Openings	6
6.4 Bounding materials	7
6.5 Design fire parameters	7
7 Model sensitivity	10
8 Uses and limitations	10
8.1 General	10
8.2 Localized effects	10
8.3 Compartment effects	11
8.4 Plumes	11
8.5 Ceiling vents	13
8.6 Stratification	13
8.7 Plug-holing	14
8.8 Enclosure sizes, dimensions, geometry	14
8.9 Postflashover Fires	15
8.10 Comparison of real world effects and model capabilities	15
Bibliography	17