## INTERNATIONAL STANDARD

ISO 1452-3

First edition 2009-12-01

Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure — Unplasticized poly(vinyl chloride) (PVC-U) —

Part 3: Fittings

Systèmes de canalisations en plastique pour l'alimentation en eau, pour branchements et collecteurs d'assainissement enterrés et aériens avec pression — Poly(chlorure de vinyle) non plastifié (PVC-U) —

Partie 3: Raccords



## PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

## **Contents**

Page

Forewo	ord	i\
Introdu	uction	٠١
1	Scope	1
2	Normative references	2
3	Terms, definitions, symbols and abbreviated terms	3
3.1	Terms and definitions	
3.2	Symbols	3
4	Material	
4.1	Fitting material	
4.2 4.3	DensityMRS-value	
	General characteristics	
5 5.1	Appearance	
5.2	Colour	4
5.3	Opacity of fittings intended for the above-ground conveyance of water	4
6	Geometrical characteristics	4
6.1	Measurement of dimensions	
6.2 6.3	Nominal diameters  Fittings for solvent cementing	
6.4	Adapter fittings	
6.5	Tapping saddles	14
6.6	Flange adapters and flanges	
6.7 6.8	Elastomeric ring seal fittings End-load-bearing double-sockets with elastomeric seals	
	Classification and operating conditions	
7 7.1	Classification	
7.2	Selection of nominal pressure and pipe series S for water up to and including 25 °C	29
7.3	Determination of the allowable operating pressure for water up to 45 °C	30
8	Mechanical characteristics	30
8.1	Resistance to internal pressure of fittings or parts of fittings	
8.2	Crushing test	
9	Physical characteristics	
10	Sealing rings	32
11	Adhesives	32
12	Performance requirements	32
13	Marking	32
13.1	General	
13.2 13.3	Minimum required marking	
	Additional marking	
Annex A (normative) Imperial(inch)-sized fittings		34
Bibliography		