
**Round non-alloy steel wires for
general purpose wire ropes, large
diameter wire ropes and mine
hoisting wire ropes — Specifications**

*Fils ronds en acier non allié pour câbles à usage général, câbles de
grand diamètre et câbles d'extraction minière — Spécifications*



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Wire characteristics	3
4.1 General conditions of manufacture.....	3
4.2 Diameter.....	3
4.2.1 Nominal diameter d	3
4.2.2 Actual diameter.....	3
4.3 Ovality of the wire.....	3
4.4 Type.....	4
5 Tensile grades	4
5.1 General.....	4
5.2 Reverse bend strength.....	5
5.3 Torsional strength.....	8
5.4 Zinc or Zn/Al alloy coating.....	10
6 Sampling	10
7 Tests	11
7.1 Measurement of actual diameter.....	11
7.2 Tensile test.....	11
7.3 Reverse bend test.....	11
7.4 Torsion test.....	11
7.5 Inspection of zinc or Zn/Al alloy coating.....	11
8 Certificate	12
8.1 General.....	12
8.2 Certificate of conformity.....	12
8.3 Full works certificate.....	12
8.4 Certificate of acceptance.....	12
9 Marking	12
10 Information to be supplied by the purchaser	12
Annex A (normative) Determination of mass of zinc or Zn/Al alloy deposited per unit of surface area	13
Annex B (normative) Test for adhesion of coating	16
Annex C (informative) Zinc-aluminium alloy composition and coating performance	17
Bibliography	19