
**Anodizing of aluminium and its
alloys — Assessment of quality of
sealed anodic oxidation coatings by
measurement of the loss of mass after
immersion in acid solution(s)**

*Anodisation de l'aluminium et de ses alliages — Évaluation de la
qualité des couches anodiques colmatées par mesurage de la perte de
masse après immersion en solution(s) acide(s)*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Reagents	2
5.1 General.....	2
5.2 Predip solution, used only for Method 2.....	2
5.3 Test solution.....	2
5.3.1 Test solution A.....	2
5.3.2 Test solution B.....	2
6 Apparatus	2
7 Preparation of test specimen	2
8 Procedure	3
8.1 Test solutions.....	3
8.2 Method 1.....	3
8.3 Method 2.....	4
9 Expression of results	5
10 Test report	5
Annex A (normative) Method for the degreasing and drying of test specimens	6
Bibliography	7