
**Indexable hardmetal (carbide) inserts
with rounded corners, with cylindrical
fixing hole — Dimensions**

*Plaquettes amovibles en métaux-durs (carbures métalliques) avec
arrondi de pointe et trou de fixation cylindrique — Dimensions*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Types of insert	1
5 Interchangeability	2
5.1 Tolerances	2
5.2 Thickness, <i>s</i> , of inserts with chip breakers	2
6 Designation and marking	2
6.1 Designation	2
6.2 Marking	2
7 Measurement	3
8 Recommended dimensions	3
8.1 General	3
8.2 Triangular inserts	3
8.3 Square inserts	4
8.4 Rhombic inserts with 80° included angle	5
8.5 Rhombic inserts with 55° included angle	6
8.6 Hexagonal (trigon) inserts with 80° included angle	7
8.7 Rhombic inserts with 35° included angle	8
8.8 Round inserts	9
Annex A (normative) Methods of measurement of “<i>m</i>” dimension	10
Annex B (informative) Range of sizes of inserts with rounded corners with cylindrical fixing hole, with shapes covered by this document	13
Annex C (informative) Relationship between designations in this document and ISO 13399	15
Bibliography	16