
**Steel castings — Liquid penetrant
testing**

Pièces moulées en acier — Contrôle par ressuage





COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Ordering information	1
5 Testing	2
5.1 Operating mode	2
5.2 Qualification of the operators	2
5.3 Surface preparation	2
5.4 Conditions of testing	2
6 Acceptance criteria	2
6.1 Definition of liquid penetrant indications	2
6.1.1 General	2
6.1.2 Non-linear indications (SP)	2
6.1.3 Linear indication (LP)	3
6.2 Severity levels	4
6.2.1 General	4
6.2.2 Non-linear indications	4
6.2.3 Linear indications	4
6.2.4 Selection of the severity level	4
6.2.5 Designation of severity levels	5
7 Classification of the indications and interpretation of results	5
7.1 Classification of the indications using Tables 1 and 2	5
7.1.1 General	5
7.1.2 Non-linear indications	5
7.1.3 Linear indications	5
7.2 Interpretation of results	5
8 Retesting	5
9 Post-examination cleaning procedures	6
10 Test report	6
Annex A (informative) Recommended surface finish for liquid penetrant testing	7
Annex B (informative) Reference figures — Non-linear isolated indications (SP)	8
Annex C (informative) Reference figures — Linear indications (LP)	13
Annex D (informative) Model of a liquid penetrant test report	28
Bibliography	30