

First edition  
2011-05-15

---

---

**Plastics piping systems for pressure and non-pressure water supply, irrigation, drainage or sewerage — Glass-reinforced thermosetting plastics (GRP) systems based on unsaturated polyester (UP) resin — Pipes with flexible joints intended to be installed using jacking techniques**

*Systèmes de canalisations en matières plastiques pour l'alimentation en eau avec ou sans pression, pour l'irrigation ou l'assainissement — Systèmes en matières plastiques thermodurcissables renforcés de verre (PRV) à base de résine de polyester non saturé (UP) — Tubes avec assemblages flexibles destinés à être installés par les techniques de poussée*



Reference number  
ISO 25780:2011(E)



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
<b>Foreword .....</b>	<b>iv</b>
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms and definitions .....</b>	<b>2</b>
<b>4 Requirements.....</b>	<b>11</b>
<b>4.1 Classification .....</b>	<b>11</b>
<b>4.2 Pipe properties .....</b>	<b>11</b>
<b>4.3 Materials .....</b>	<b>12</b>
<b>4.4 Pipe wall construction .....</b>	<b>13</b>
<b>4.5 Reference conditions for testing .....</b>	<b>14</b>
<b>4.6 Elapsed time, <math>x</math>, for determination of long-term properties .....</b>	<b>14</b>
<b>4.7 Joint properties .....</b>	<b>14</b>
<b>5 Pipes .....</b>	<b>16</b>
<b>5.1 Geometrical characteristics .....</b>	<b>16</b>
<b>5.2 Mechanical characteristics.....</b>	<b>19</b>
<b>5.3 Resistance to strain corrosion.....</b>	<b>20</b>
<b>5.4 Longitudinal compressive strength .....</b>	<b>20</b>
<b>5.5 Permissible jacking forces .....</b>	<b>21</b>
<b>5.6 Specific initial longitudinal compressive modulus, <math>E_{c,m}</math>.....</b>	<b>23</b>
<b>5.7 Resistance of pressure pipes to internal pressure.....</b>	<b>23</b>
<b>6 Marking .....</b>	<b>23</b>
<b>7 Joint performance .....</b>	<b>23</b>
<b>7.1 General requirements .....</b>	<b>23</b>
<b>7.2 Interchangeability .....</b>	<b>24</b>
<b>7.3 Geometrical characteristics .....</b>	<b>24</b>
<b>7.4 Design.....</b>	<b>24</b>
<b>7.5 Performance requirements.....</b>	<b>24</b>
<b>7.6 Test method additional information .....</b>	<b>25</b>
<b>Annex A (normative) Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes — Determination of the longitudinal compressive properties of a pipe, using a sample of prism test-pieces cut from a ring from the pipe .....</b>	<b>27</b>
<b>Annex B (normative) Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes — Determination of the compressive properties of pipes, using spool test-pieces .....</b>	<b>34</b>
<b>Annex C (normative) Procedure for the calculation of the permissible jacking force on a GRP-(UP) pipe, <math>F_{perm,p}</math> .....</b>	<b>39</b>
<b>Bibliography.....</b>	<b>51</b>