
**Radiation protection — Performance
criteria for radiobioassay**

*Radioprotection — Critères de performance pour l'analyse
radiotoxicologique*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols.....	6
5 Performance measures.....	7
5.1 Decision threshold (y^*) and detection limit ($y^\#$).....	7
5.2 Relative bias and bias performance criteria	10
5.3 Repeatability performance criteria	12
6 Performance criteria for <i>in vivo</i> radiobioassay	12
6.1 General	12
6.2 Responsibilities of the customer that could impact the service laboratory's performance	12
6.3 Service laboratory criteria	12
6.4 Identification of radionuclides	13
6.5 Quantification	13
6.6 Reporting results.....	14
6.7 Records retention.....	15
7 Performance criteria for <i>in vitro</i> radiobioassay	15
7.1 General	15
7.2 Responsibilities of the customer that could impact the service laboratory's performance	15
7.3 Analytical methodology	16
7.4 Reporting results.....	17
7.5 Records retention.....	17
8 Quality assurance and quality control for radiobioassay laboratories	18
8.1 General	18
8.2 Quality assurance.....	18
8.3 Quality assurance plan	19
8.4 Quality control	20
9 Performance testing programme.....	21
9.1 General	21
9.2 <i>In vivo</i> radiobioassay	22
9.3 <i>In vitro</i> radiobioassay	25
Annex A (informative) Detection limit — Models for applications	29
Annex B (informative) Detection limit — Application examples	32
Bibliography.....	45