

## SURFACE VEHICLE RECOMMENDED PRACTICE

**SAE** J1172 OCT2012

Issued 1977-05 Stabilized 2012-10

Superseding J1172 MAY1993

Engine Flywheel Housings with Sealed Flanges

## **RATIONALE**

The technical report covers technology, products, or processes which are mature and not likely to change in the foreseeable future.

## STABILIZED NOTICE

This document has been declared "Stabilized" by the SAE IC Powertrain Steering Committee and will no longer be subjected to periodic reviews for currency. Users are responsible for verifying references and continued suitability of technical requirements. Newer technology may exist.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2012 SAE International

SAE WEB ADDRESS:

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)

Tel: +1 724-776-4970 (outside USA)

Fax: 724-776-0790

Email: CustomerService@sae.org

http://www.sae.org

SAE values your input. To provide feedback on this Technical Report, please visit

http://www.sae.org/technical/standards/J1172 201210