

Issued 1963-06
Cancelled 2009-10

Superseded by 49 CFR Part 565

Vehicle Identification Numbers

1. **Scope**—This SAE Standard has been established to provide direction for the design and installation of a Vehicle Identification Number assigned to a passenger car or truck. In adhering to these standards, facility of application in factory production and appearance are matters for manufacturer control.
 - 1.1 **Rationale**—This document has been superseded and covered by U.S. federal regulation 49 CFR Part 565.
2. **References**
 - 2.1 **Applicable Publication**—The following publication forms a part of the specification to the extent specified herein. Unless otherwise indicated the latest revision of SAE publications shall apply.

SAE J272—Vehicle Identification Number Systems
3. **Definition**
 - 3.1 **Vehicle Identification Number (VIN)**—The number assigned to a vehicle by the manufacturer primarily for registration and identification purposes.

Refer to SAE Recommended Practice J272, Vehicle Identification Number Systems, for VIN structure.
4. **Accessibility**—The VIN shall be located so that it is readily visible to an observer standing outside the vehicle without need of access to any compartment of the vehicle.
5. **Durability**
 - 5.1 The VIN shall be impressed, embossed, or fabricated in a similarly durable manner in the material of the vehicle or on a separate plate. Materials subject to corrosion should be protected to minimize risk of the loss of the VIN.
 - 5.2 The VIN shall be located on a permanent structure of the vehicle. A permanent structure is one that does not readily lend itself to substitution and which is not likely to be removed or replaced.
 - 5.3 The VIN shall be so affixed that it will be difficult to remove, replace, or alter without detection.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2009 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER:

Tel: 877-606-7323 (inside USA and Canada)
Tel: 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
<http://www.sae.org>

SAE WEB ADDRESS: