
















无扩口导管连接件技术条件

本技术条件适用于飞机管路系统无扩口导管及发动机、附件与飞机管路系统连接的无扩口管路件。

1. 目录及装配示例

| 名 称         | 简 图   | 代 号                      | 材 料                         |
|-------------|---|--------------------------|-----------------------------|
| 无扩口组合导管     |   | HB 5664-83<br>~ 5667-83  |                             |
| 无扩口管接头的螺纹部份 |    | HB5668-83                |                             |
| 直通接头        |  | HB5669-83<br>~ HB5672-83 |                             |
| A型直通管接头     |  | HB5673-83<br>~ HB5676-83 | LY12-CZ<br>45<br>1Cr18Ni9Ti |
| 带凸缘直通管接头    |  | HB5677-83<br>~ HB5680-83 |                             |
| 变径直通管接头     |  | HB5681-83<br>~ HB5684-83 |                             |

| 名称         | 简图  | 代号                      | 材料                      |
|------------|---|-------------------------|-------------------------|
| 拧入式直通管接头   |    | HB5685-83<br>~HB5688-83 | LY12-CZ                 |
| 拧入式变径直通管接头 |    | HB5689-83<br>~HB5692-83 | 45<br>1Cr18Ni9Ti        |
| B型弯管接头     |   | HB5693-83<br>~HB5696-83 |                         |
| C型弯管接头     |  | HB5697-83<br>~HB5700-83 | LD5<br>45<br>1Cr18Ni9Ti |
| 拧入式弯管接头    |  | HB5701-83<br>~HB5704-83 |                         |

| 名 称      | 简 图   | 代 号                      | 材 料                     |
|----------|---|--------------------------|-------------------------|
| 直角管接头    |    | HB5705-83<br>~ HB5708-83 |                         |
| B型直角管接头  |    | HB5709-83<br>~ HB5712-83 |                         |
| A型直角管接头  |  | HB5713-83<br>~ HB5716-83 | LD5<br>45<br>1Cr18Ni9Ti |
| 插入式直角管接头 |  | HB5717-83<br>~ HB5720-83 |                         |
| 三通管接头    |  | HB5721-83<br>~ HB5724-83 |                         |