



Standard Guide for Identification of Metals and Alloys in Computerized Material Property Databases¹

This standard is issued under the fixed designation E1338; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This guide covers the identification of metals and alloys in computerized material property databases. It establishes essential and desirable data elements that serve to uniquely identify and describe a particular metal or alloy sample as well as properties that identify a given metal or alloy in general.

1.1.1 This guide does not necessarily provide sufficient data elements to describe weld metal, metal matrix composites, or joined metals.

1.1.2 The data element identified herein are not all germane to every metal or alloy group.

1.1.3 Different sets of data elements may also be applied within a given metal or alloy group depending on conditions or applications specific to that metal or alloy group. Further, within a particular metal or alloy group, different sets of data elements may be used to identify specific material conditions.

1.1.4 **Table 1** on Recommended Data Elements and **Tables 2-17** on values for specific data elements appear at the end of this guide.

1.2 Some of the data elements in this guide may be useful for other purposes. However, this guide does not attempt to document the essential and desirable data element for any purpose except for the identification of metals and alloys in computerized material property databases. Other purposes, such as material production, material procurement, and material processing, each may have different material data reporting requirements distinct from those covered in this guide. A specific example is the contractually required report for a material property testing series. Such a report may not contain all the data elements considered essential for a specific computerized database; conversely, this guide may not contain all the data elements considered essential for a contracted test report.

1.3 Results from material tests conducted as part of the procurement process are often used to determine adherence to

a specification. While this guide includes a number of test result data elements, such data elements are included in this guide only for the purposes of material identification.

1.4 Reporting of contracted test results, such as certification test results, shall follow the requirements described in the material specification, or as agreed upon between the purchaser and the manufacturer.

1.5 This guide contains a limited number of data elements related to material test results. These data elements are for material identification purposes and are not intended to replace the more detailed sets of data elements listed in guides such as **Guide E1313** covering data recording formats for mechanical testing of metals. For material identification purposes, the data elements in this guide include typical, nominal, or summary properties normally derived from a population of individual specimen tests. If warranted by the scope of a particular database system, the system might provide links between the material identification data elements given in this guide, and the individual specimen test results recorded in accordance with other guides corresponding to particular test methods.

1.6 *Material Classes*—See ANSI/AWS A9.1-92 for arc welds, **Guide E527** for Metal and Alloys in the Unified Numbering System (UNS), **Guide E1308** for polymers, **Guide E1309** for composite material, and **Guide E1471** for fibers, fillers, and core materials.

2. Referenced Documents

2.1 *ASTM Standards*:²

- E8 Test Methods for Tension Testing of Metallic Materials**
- E8M Test Methods for Tension Testing of Metallic Materials [Metric]** (Withdrawn 2008)³
- E527 Practice for Numbering Metals and Alloys in the Unified Numbering System (UNS)**
- E616 Terminology Relating to Fracture Testing (Discontinued 1996)** (Withdrawn 1996)³

¹ This guide is under the jurisdiction of ASTM Committee B08 on Metallic and Inorganic Coatings and is the direct responsibility of Subcommittee B08.01 on Ancillary Activities. This guide was developed in cooperation with Committee B07 on Light Metals and Alloys.

Current edition approved Nov. 1, 2015. Published December 2015. Originally approved in 1990. Last previous edition approved in 2009 as E1338 – 09. DOI: 10.1520/E1338-09R15.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

³ The last approved version of this historical standard is referenced on www.astm.org.

TABLE 1 Recommended Data Elements for the Identification of Metals and Alloys

| Number ^A | Data Element Descriptive Name | Data Type | Category Set, Value Set, or Units |
|--|--|-----------|---------------------------------------|
| Primary Identifiers | | | |
| 1 | Material class | String | metal |
| 2 | Family name | String | Category set in Table 2 |
| 3 | Family subclass | String | Value set in Table 3 |
| 4 ^B | Common name ^C | String | |
| 5 | Application group ^C | String | |
| 6 | Product group ^C | String | |
| Material Specification^C | | | |
| 7 ^B | UNS Number | String | Category set defined in Practice E527 |
| 8 ^B | Specification organization | String | |
| 9 ^B | Specification number | String | |
| 10 ^B | Specification version | String | |
| 11 ^B | Designation keyword ^C | String | Category set in Table 4 |
| 12 ^B | Designation value ^C | String | |
| Composition Requirements^C | | | |
| 13 | Element symbol | String | IUPAC symbol(s) |
| 14 | Fraction type | String | mass, volume, or mole |
| 15 | Composition units | String | % or ppm |
| 16 | Minimum specified composition | Real | |
| 17 | Maximum specified composition | Real | |
| Mechanical Properties Requirements^C | | | |
| Tensile Test Requirements^C | | | |
| 18 | Orientation of tensile specimen for certification | String | Value set in Table 5 |
| 19 | Location of tensile specimen for certification | String | Values set in Table 6 |
| 20 | Tensile test temperature for certification | Real | °C (°F) |
| 21 | Minimum ultimate tensile strength | Real | MPa (ksi) |
| 22 | Maximum ultimate tensile strength | Real | MPa (ksi) |
| 23 | Minimum yield strength | Real | MPa (ksi) |
| 24 | Maximum yield strength | Real | MPa (ksi) |
| 25 | Yield strength determination method | String | Category set in Table 7 |
| 26 | Yield strength offset or extension | Real | % |
| 27 | Minimum elongation | Real | % |
| 28 | Maximum elongation | Real | % |
| 29 | Original gage length | Real | mm (in.) |
| 30 | Minimum reduction of area | Real | % |
| 31 | Maximum reduction of area | Real | % |
| Hardness Requirements^C | | | |
| 32 | Location of hardness measurement for certification | String | Value set in Table 6 |
| 33 | Minimum hardness | Real | |
| 34 | Maximum hardness | Real | |
| 35 | Hardness scale | String | Category set in Table 8 |
| Charpy Impact Energy to Fracture Requirements^C | | | |
| 36 | Location of Charpy specimen for certification | String | Value set in Table 6 |
| 37 | Temperature of Charpy test for certification | Real | °C (°F) |
| 38 | Minimum Charpy impact energy | Real | J (ft-lbf) |
| 39 | Maximum Charpy impact energy | Real | J (ft-lbf) |
| Primary Material Producer | | | |
| 40 | Original producer | String | |
| 41 | Country of origin | String | |
| 42 | Producer's facility | String | |
| 43 | Production date | Date | |
| 44 | Primary process type | String | |
| 45 | Melt practice | String | Value set in Table 9 |
| 46 | Cast practice | String | Value set in Table 10 |
| 47 ^B | Heat number | String | |
| Material Processing^C | | | |
| 48 | Processor's name | String | |
| 49 | Processor's country | String | see ISO 3166 |
| 50 | Processor's facility name | String | |
| 51 | Processor's assigned production date | Date | |
| 52 ^B | Process type | String | |
| 53 | Process lot number | String | |
| Heat Treatment^C | | | |
| 54 | Thermal step type | String | |
| 55 | Time of thermal step | Real | h |
| 56 | Thermal step temperature | Real | °C (°F) |
| 57 | Heating environment | String | Values set in Table 11 |
| 58 | Heating rate | Real | °C/h (°F/h) |
| 59 | Cooling environment | String | Value set in Table 12 |
| 60 | Cooling rate | Real | °C/h (°F/h) |
| Product Detail | | | |
| 61 | Product forming method | String | Value set in Table 13 |
| 62 | Product identifier | String | |
| 63 | Product shape | String | Value set in Table 14 |

TABLE 1 *Continued*

| Number ^A | Data Element Descriptive Name | Data Type | Category Set, Value Set, or Units |
|--|--|-----------|--|
| 64 | Product form | String | Value set in Table 15 |
| 65 | Dimension type | String | nominal or actual |
| 66 | Length | Real | cm (in.) |
| 67 | Width | Real | cm (in.) |
| 68 | Thickness | Real | cm (in.) |
| 69 | Outside diameter | Real | cm (in.) |
| 70 | Wall thickness | Real | cm (in.) |
| 71 | Weight | Real | kg (lb) |
| 72 | Fabrication history | String | |
| 73 | Service history | String | |
| Measured Chemical Composition ^C | | | |
| 74 | Source of chemical composition data | String | |
| 75 | Element symbol | String | IUPAC symbol(s) |
| 76 | Fraction type | String | mass, volume, or mole |
| 77 | Composition units | String | % or ppm |
| 78 | Measured composition | Real | |
| Measured Mechanical Properties | | | |
| Measured Tensile Properties ^C | | | |
| 79 | Source or basis for tensile properties | String | |
| 80 | Orientation of test specimen | String | Value set in Table 5 |
| 81 | Location of tensile specimen | String | Value set in Table 6 |
| 82 | Tensile test temperature | Real | °C (°F) |
| 83 | Ultimate tensile strength | Real | MPa (ksi) |
| 84 | Number of tensile strength tests, if averaged | Integer | |
| 85 | Yield strength | Real | MPa (ksi) |
| 86 | Yield strength method | String | Category set in Table 7 |
| 87 | Yield strength offset or extension | Real | % |
| 88 | Number of yield strength tests, if averaged | Integer | |
| 89 | Total elongation | Real | % |
| 90 | Original gage length | Real | mm (in.) |
| 91 | Number of elongation tests, if averaged | Integer | |
| 92 | Type of elongation | String | Value set in Table 16 |
| 93 | Reduction of area | Real | % |
| 94 | Number of reduction of area tests, if averaged | Integer | |
| Measured Hardness ^C | | | |
| 95 | Source or basis for hardness measurement | String | |
| 96 | Location of hardness measurement | String | Value set in Table 6 |
| 97 | Hardness value | Real | |
| 98 | Hardness scale | String | Category set in Table 8 |
| 99 | Number of hardness readings, if averaged | Integer | |
| Measured Charpy Impact Energy to Fracture ^C | | | |
| 100 | Source or basis for Charpy measurements | String | |
| 101 | Location of Charpy specimen | String | Value set in Table 6 |
| 102 | Temperature of Charpy test | Real | °C (°F) |
| 103 | Charpy specimen size | String | Category set in Table 17 |
| 104 | Charpy impact energy | Real | J (ft-lbf) |
| 105 | Number of Charpy tests, if averaged | Integer | |
| Measured Microstructure Descriptions ^C | | | |
| 106 | Grain size measurement | Real | |
| 107 | Scale for grain size | String | |
| 108 | Basis for grain size | String | |
| 109 | Description of microstructure | String | |

^A Data element numbers are provided for information only.

^B Essential data element, as described in [4.6](#).

^C Provisions should be made in the database for repeated values of this data element, or for the set of data elements in this section.

TABLE 2 Category Set for Family Name as Listed in Practice E527

| | |
|--|---|
| Aluminum and aluminum alloys | Zinc and zinc alloys |
| Copper and copper alloys | Cast irons |
| Rare earth and rare earth-like metals and alloys | Cast steels |
| Low melting point metals and alloys | Carbon steels |
| Nickel and nickel alloys | Alloy steels |
| Precious metals and alloys | AISI H-steels |
| Reactive and refractory metals and alloys | Heat and corrosion-resistant (stainless) steels |
| | Tool steels |
| | Cobalt alloys |

[E1308 Guide for Identification of Polymers \(Excludes Thermoset Elastomers\) in Computerized Material Property Databases \(Withdrawn 2000\)](#)³

[E1309 Guide for Identification of Fiber-Reinforced Polymer-Matrix Composite Materials in Databases \(Withdrawn 2015\)](#)³

[E1313 Guide for Recommended Formats for Data Records Used in Computerization of Mechanical Test Data for Metals \(Withdrawn 2000\)](#)³

[E1443 Terminology Relating to Building and Accessing Material and Chemical Databases \(Withdrawn 2000\)](#)³