



Обозначение: С 288 - 87 (Утвержден повторно в 2009 г.)

**Стандартный метод испытания для определения разрушения
огнеупорных материалов в атмосфере окиси углерода**

**Standard Test Method for Disintegration of Refractories in an Atmosphere of
Carbon Monoxide**

Перевод настоящего стандарта осуществлен ООО «Нормдокс» с официального разрешения Американского общества по материалам и их испытаниям (ASTM) 100 Barr Harbor Drive, West Conshohocken, PA 19428, USA.

ASTM не утверждает и не подтверждает данный перевод, и только английская версия, опубликованная со знаком копирайта ASTM, может рассматриваться как оригинальная версия.

Воспроизведение данного перевода возможно только с разрешения ASTM.

Translation of this standard has been made by Normdocs OOO. under the official permission from the American Society for Testing and Materials (ASTM), 100 Barr Harbor Drive, West Conshohocken, PA 19428, USA.

ASTM does not confirm or approve this translation, and only the English version as published and copyrighted by ASTM can be considered as the original version.

Reproduction of this translation is possible by authority of ASTM only.

ООО «Нормдокс»

197376, Санкт-Петербург,
ул. Проф. Попова, дом 5, корп.1, офис 1237

Тел.: +7 (812) 438-16-88
+7 (495) 223-46-76

Факс: +7 (812) 438-16-88

E-mail: inform@normdocs.ru

<http://www.normdocs.ru>