This Research Report is issued under the fixed designation RR: E28-1008. You agree not to reproduce or circulate or quote, in whole or part, this document outside of ASTM International Committee/Society activities, or submit it to any other organization or standards body (whether national, international or other) except with the approval of the Chairman of the Committee having jurisdiction and the written authorization of the President of the Society. If you do not agree to these conditions, please immediately destroy all copies of this document. *Copyright ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428. All rights reserved.*

15 December 1986

Committee E28 on Mechanical Testing Subcommittee E28.06 on Indentation Hardness Testing

Research Report E28-1008

Interlaboratory Study to Establish Precision Statements for ASTM E10, Standard Test Method for Brinell Hardness of Metallic Materials

> ASTM International 100 Barr Harbor Drive West Conshohocken, PA 19428-2959

NOV 24.1986

COMMITTEE E-28 ON MECHANICAL TESTING

ASTM, 1916 Race St., Philadelphia, PA 19103 (215) 299-5400 TWX: 710-670-1037

Chairman: T. G. HEBERLING, Armca, Inc., 703 Curtis St., Middletown, OH 45043 (513-425-5487) Vice-Chairman: J. M. HOLT, United States Steel Carp., M.S. F90, Research Lab., Manraeville, PA 15146 (412-825-2991) Secretary: WERNER ENGELMAIER, AT&T Bell Labs., 4E-219, Whippany, NJ 07981 (201-386-3242) Membership Secretary: W. N. ROY, U.S. Army Materials and Mechanics Res. Center, ATTN: AMXMR-STO, Watertawn, MA 02172 (617-923-5344) Staff Manager: M. E. LIEFF (215-299-5516)

November 19, 1986

Matthew E. Lieff ASTM 1916 Race Street Philadelphia, PA 19103

Dear Matt:

As per our agreement during the October, 1986 meeting of E28.06.05, I have enclosed the study for calculating Brinell Hardness Numbers either from Kgf or Kn that was submitted by Mr. T. Farrell for the incorporation in the revised E10. This study will be entered at Headquarters as a Research Report entitled "RR - E28-1008" for future reference. As a matter of information, the data showed a difference in the third decimal place and is considered to be insignificant in Brinell Hardness calculations.

/Joseph A. Chivinsky Chairman E28.06

11s

Enclosure (1)

cc: A. Fee - Page-Wilson Inc.

TO ANDY FEE

From TOM FARRELL

Date Oct. 22, 1986

Subject BRINELL CONVERSION

Enclosed is a comparison of the Brinell formula using Kgf's and Kn's. This is what I volunteered to do for the ASTM committee when I was in Pittsburgh.

Tom