



## BSI Standards Publication

**Aerospace series – Connectors, electrical, circular, coupled by threaded ring, fire resistant or non fire resistant, operating temperatures –65 °C to 175 °C continuous, 200 °C continuous, 260 °C peak**

---

Part 011: Dummy receptacle – Product standard

## National foreword

This British Standard is the UK implementation of EN 2997-011:2019. It supersedes BS EN 2997-011:2010, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee ACE/6, Aerospace avionic electrical and fibre optic technology.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019  
Published by BSI Standards Limited 2019

ISBN 978 0 539 05839 0

ICS 49.060

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2019.

### **Amendments/corrigenda issued since publication**

Date	Text affected

---

**EUROPEAN STANDARD**  
**NORME EUROPÉENNE**  
**EUROPÄISCHE NORM**

**EN 2997-011**

December 2019

ICS 49.060

Supersedes EN 2997-011:2010

## English Version

**Aerospace series - Connectors, electrical, circular, coupled  
 by threaded ring, fire resistant or non fire resistant,  
 operating temperatures -65 °C to 175 °C continuous, 200  
 °C continuous, 260 °C peak - Part 011: Dummy receptacle -  
 Product standard**

Série aérospatiale - Connecteurs électriques circulaires  
 à accouplement par bague filetée, résistant au feu ou  
 non, températures d'utilisation - 65 °C à 175 °C  
 continu, 200 °C continu, 260 °C en pointe - Partie 011 :  
 Embase de repos - Norme de produit

Luft- und Raumfahrt - Elektrische Rundsteckverbinder  
 mit Schraubkupplung, feuerbeständig oder nicht  
 feuerbeständig, Betriebstemperaturen - 65 °C bis 175  
 °C konstant, 200 °C konstant, 260 °C Spitze - Teil 011:  
 Blinddose - Produktnorm

This European Standard was approved by CEN on 13 October 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
 COMITÉ EUROPÉEN DE NORMALISATION  
 EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**