



BSI Standards Publication

## **Aerospace series - Cables, electrical, for general purpose, single and multicore assembly - XLETFE Family**

---

Part 006: Silver plated copper Operating temperatures, between - 65 °C and 150 °C - Dual extruded wall for open applications - UV laser printable - Product standard

## National foreword

This British Standard is the UK implementation of EN 4611-006:2018. It supersedes BS EN 4611-006:2012, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee ACE/6, Aerospace avionic electrical and fibre optic technology.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018  
Published by BSI Standards Limited 2018

ISBN 978 0 580 51993 2

ICS 49.060

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2018.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---

EUROPEAN STANDARD

**EN 4611-006**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2018

ICS 49.060

Supersedes EN 4611-006:2012

English Version

**Aerospace series - Cables, electrical, for general purpose,  
single and multicore assembly - XLETFE Family - Part 006:  
Silver plated copper Operating temperatures, between - 65  
°C and 150 °C - Dual extruded wall for open applications -  
UV laser printable - Product standard**

Série aérospatiale - Câbles, électriques, d'usage  
général, mono et multiconducteurs - Famille XLETFE -  
Partie 006 : Cuivre argenté Températures de  
fonctionnement comprises entre - 65 °C et 150 °C - Fil  
double isolé pour applications externes - Marquable au  
laser U - Norme de produit

Luft- und Raumfahrt - Ein- und mehradrige elektrische  
Leitungen für allgemeine Verwendung - XLETFE  
Familiev - Teil 006: Kupfer versilbert  
Betriebstemperaturen zwischen - 65 °C und 150 °C -  
Doppelt extrudierte Isolierung für externe  
Verwendung - UV-Laser bedruckbar - Produktnorm

This European Standard was approved by CEN on 2 March 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**