BS 3F 119: 1990

(Superseding BS 2F 119:1982)

Specification for

145 g/m² to 235 g/m² nylon parachute fabric



NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Aerospace Standards Policy Committee (ACE/-) to Technical Committee ACE/54, upon which the following bodies were represented:

British Fabric Association
British Rubber Manufacturers' Association
British Textile Employers' Association
Man-made Fibres Producers' Committee
Ministry of Defence
Society of British Aerospace Companies Ltd.
Society of Dyers and Colourists

This British Standard, having been prepared under the direction of the Aerospace Standards Policy Committee was published under the authority of the Board of BSI and comes into effect on 28 September 1990

© BSI 01-2000

The following BSI references relate to the work on this standard: Committee reference ACE/54 Draft for comment 87/70016 DC

ISBN 0 580 18547 8

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 General requirements	1
3 Yarn	1
4 Manufacture	2
5 Finish	2
6 Construction and properties of finished fabric	2
7 Permeability	2
8 Water extractable matter	3
9 Identification	3
Appendix A Information to be supplied by the purchas	ser 4
Figure 1 — Weaving diagram for fabric 694-1	2
Figure 2 — Weaving diagram for fabrics 694-4, 694-5	and 694-6 2
Table 1 — General requirements (given in BS F 100)	1
Table 2 — Construction and properties of finished fab	ric 2
Table 3 — Permeability requirements	3
Publications referred to	Inside back cover