

BRITISH STANDARD

**Properties of elastomeric
toroidal sealing rings
("O" rings)
manufactured from oil
resistant silicone rubber
material conforming to
BS F 153 –
Specification**

ICS 49.080

Confirmed December 2011

BSi
British Standards

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2006

ISBN 0 580 49380 6

The following BSI references relate to the work on this standard:

Committee reference ACE/65

Draft for comment 05/30129999 DC

Publication history

First published October 2006

Amendments issued since publication

Amd. no.	Date	Text affected
-----------------	-------------	----------------------

Contents

Foreword *ii*

1	Scope	<i>1</i>
2	Normative references	<i>1</i>
3	Terms and definitions	<i>2</i>
4	Material	<i>2</i>
5	Properties	<i>2</i>
6	Test methods	<i>4</i>
7	Quality of material	<i>5</i>
8	Marking, labelling and packaging	<i>6</i>

List of tables

Table 1 – Tests as manufactured “O” rings *3*

Table 2 – Tests after immersion in fluid – Oil No. 1 *3*

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.