

BSI Standards Publication

Information technology — Radio frequency identification for item management

Part 63: Parameters for air interface communications at 860 MHz to 960 MHz Type C



National foreword

This British Standard is the UK implementation of ISO/IEC 18000-63:2021. It supersedes BS ISO/IEC 18000-63:2015, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee IST/34, Automatic identification and data capture techniques.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021 Published by BSI Standards Limited 2021

ISBN 978 0 539 05885 7

ICS 35.040.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2021.

Amendments/corrigenda issued since publication

Date Text affected

INTERNATIONAL STANDARD

ISO/IEC 18000-63

Third edition 2021-11

Information technology — Radio frequency identification for item management —

Part 63:

Parameters for air interface communications at 860 MHz to 960 MHz Type C

Technologies de l'information — Identification par radiofréquence (RFID) pour la gestion d'objets —

Partie 63: Paramètres de communications d'une interface radio entre 860 MHz et 960 MHz, Type C

