BSI Standards Publication

Information technology — MPEG audio technologies

Part 4: Dynamic range control

bsi.

National foreword

This British Standard is the UK implementation of ISO/IEC 23003-4:2020+A1:2022. It supersedes BS ISO/IEC 23003-4:2015, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to ISO/IEC text carry the number of the ISO/IEC amendment. For example, text altered by ISO/IEC amendment 1 is indicated by A₁〉 〈A₁.

The UK participation in its preparation was entrusted to Technical Committee IST/37, Coding of picture, audio, multimedia and hypermedia information.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2022.

Amendments/corrigenda issued since publication

Date	Text affected

INTERNATIONAL
STANDARD

ISO/IEC
23003-4

Second edition
2020-06

Information technology — MPEG audio technologies —

Part 4:
Dynamic range control

Technologies de l'information — Technologies audio MPEG —

Partie 4: Contrôle de gamme dynamique