



BSI Standards Publication

**Belt drives — V-ribbed belts,
joined V-belts and V-belts
including wide section belts
and hexagonal belts —
Electrical conductivity of
antistatic belts: Characteristics
and methods of test**

National foreword

This British Standard is the UK implementation of ISO 1813:2014.

The 2014 revision of ISO 1813 includes criteria and a test method for the antistatic property of the backside, flat surface of V-ribbed belts. The UK committee believes that this test method applies only to those belts intended for use on drive systems that incorporate either backside driven pulleys, or backside idlers. For belts intended for use solely with grooved inside pulleys (i.e. driving surfaces on the rib side only) there is no requirement for anti-static property on the backside surface. Such belts may not necessarily meet the criteria for the maximum electrical resistance on the back surface, as outlined in Table 4.

The UK participation in its preparation was entrusted to Technical Committee MCE/10, Belts & Pulley Drive.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014.
Published by BSI Standards Limited 2014

ISBN 978 0 580 75357 2
ICS 21.220.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2014.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL STANDARD

ISO
1813

Fourth edition
2014-02-15

Belt drives — V-ribbed belts, joined V-belts and V-belts including wide section belts and hexagonal belts — Electrical conductivity of antistatic belts: Characteristics and methods of test

Transmissions par courroies — Courroies striées, courroies trapézoïdales simples et jumelées y compris celles à section large et hexagonales — Conductibilité électrique des courroies anti-électrostatiques: Spécifications et méthodes d'essai



Reference number
ISO 1813:2014(E)

© ISO 2014