Incorporating corrigendum July 2008

Conveyor belts — Determination of minimum transition distance on three idler rollers

ICS 53.040.20



National foreword

This British Standard is the UK implementation of ISO 5293:2004, incorporating corrigendum July 2008.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags. Text altered by ISO corrigendum July 2008 is indicated in the text by $\boxed{\mathbb{AC}_1}$ $\boxed{\mathbb{AC}_1}$.

The UK participation in its preparation was entrusted to Technical Committee PRI/67, Conveyor belts.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2004

© BSI 2009

Amendments/corrigenda issued since publication

| Date | Comments |
|------------------|---|
| 28 February 2009 | Implementation of ISO corrigendum July 2008 |
| | |
| | |
| | |

ISBN 978 0 580 63650 9

INTERNATIONAL STANDARD

ISO 5293

Second edition 2004-09-15

Conveyor belts — Determination of minimum transition distance on three idler rollers

Courroies transporteuses — Détermination de la distance minimale de transition d'auge à trois rouleaux égaux

