

BSI Standards Publication

Paper and board — Determination of colour by diffuse reflectance

Part 1: Indoor daylight conditions (C/2°)



BS ISO 5631-1:2022 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of <u>ISO 5631-1:2022</u>. It supersedes <u>BS ISO 5631-1:2015</u>, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PAI/11, Methods of test for paper, board and pulps.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022 Published by BSI Standards Limited 2022

ISBN 978 0 539 18584 3

ICS 85.060

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2022.

Amendments/corrigenda issued since publication

Date Text affected

BS ISO 5631-1:2022

INTERNATIONAL STANDARD

ISO 5631-1

Third edition 2022-07-19

Paper and board — Determination of colour by diffuse reflectance —

Part 1: Indoor daylight conditions (C/2°)

Papier et carton — Détermination de la couleur par réflectance diffuse —

Partie 1: Conditions d'éclairage intérieur de jour (C/2°)

