Aerospace — Screws, 100 degrees normal countersunk head, internal offset cruciform ribbed or unribbed drive, normal shank, short or medium length MJ threads, metallic material, coated or uncoated, strength classes less than or equal to 1 100 MPa — **Dimensions** 

ICS 49.030.20



## National foreword

This British Standard is the UK implementation of ISO 5856:2008.

The UK participation in its preparation was entrusted to Technical Committee ACE/12, Aerospace fasteners and fastening systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2008

© BSI 2008

Amendments/corrigenda issued since publication

Date	Comments

ISBN 978 0 580 55025 6

## INTERNATIONAL STANDARD

BS ISO 5856:2008 ISO 5856

Second edition 2008-08-15

Aerospace — Screws, 100 degrees normal countersunk head, internal offset cruciform ribbed or unribbed drive, normal shank, short or medium length MJ threads, metallic material, coated or uncoated, strength classes less than or equal to 1 100 MPa — Dimensions

Aéronautique et espace — Vis à tête fraisée 100 degrés normale, à empreinte cruciforme déportée, avec ou sans saillies antidérapantes, avec tige normale et filetages MJ courts ou de longueur moyenne, en matériau métallique, revêtues ou non revêtues, de classes de résistance inférieures ou égales à 1 100 MPa — Dimensions

