

Licensed copy: Welcome University of Michigan Library, The Regents of the University, Version correct as of 2/11/2019



BSI Standards Publication

Pneumatic fluid power — Cylindrical quick-action couplings for maximum working pressures of 1 MPa, 1,6 MPa, and 2,5 MPa (10 bar, 16 bar and 25 bar) — Plug connecting dimensions, specifications, application guidelines and testing

National foreword

This British Standard is the UK implementation of [ISO 6150:2018](#).

The UK participation in its preparation was entrusted to Technical Committee MCE/18/-/4, Connectors and associated components.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018
Published by BSI Standards Limited 2018

ISBN 978 0 580 98176 0

ICS 23.100.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2018.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL STANDARD

ISO 6150

Second edition
2018-12-14

Pneumatic fluid power — Cylindrical quick-action couplings for maximum working pressures of 1 MPa, 1,6 MPa, and 2,5 MPa (10 bar, 16 bar and 25 bar) — Plug connecting dimensions, specifications, application guidelines and testing

Transmissions pneumatiques — Raccords rapides cylindriques pour pressions maximales d'utilisation 1 MPa, 1,6 MPa et 2,5 MPa (10 bar, 16 bar et 25 bar) — Dimensions de raccordement de la partie mâle, spécifications, conseils d'utilisation et essais



Reference number
ISO 6150:2018(E)

© ISO 2018