

BSI Standards Publication

Nuclear fuel technology — Determination of uranium in solutions, uranium hexafluoride and solids

Part 2: Iron(II) reduction/cerium(IV) oxidation titrimetric method



BS ISO 7097-2:2022 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 7097-2:2022.

The UK participation in its preparation was entrusted to Technical Committee NCE/9, Nuclear Installations, Processes & Technologies.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022 Published by BSI Standards Limited 2022

ISBN 978 0 539 19067 0

ICS 27.120.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2022.

Amendments/corrigenda issued since publication

Date Text affected

BS ISO 7097-2:2022

INTERNATIONAL STANDARD

ISO 7097-2

Second edition 2022-11-25

Nuclear fuel technology — Determination of uranium in solutions, uranium hexafluoride and solids —

Part 2:

Iron(II) reduction/cerium(IV) oxidation titrimetric method

Technologie du combustible nucléaire — Dosage de l'uranium dans des solutions, l'hexafluorure d'uranium et des solides —

Partie 2: Méthode titrimétrique par réduction au fer(II) et oxydation au cérium(IV)

