BS ISO 18145:2003

Environmental tobacco smoke — Determination of vapour phase nicotine and 3-ethenylpyridine in air — Gaschromatographic method

ICS 13.040.20; 65.160



NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

National foreword

This British Standard is the UK implementation of ISO 18145:2003.

The UK participation in its preparation was entrusted to Technical Committee AW/40, Tobacco and tobacco products.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2009	Amendments/corrigenda issued since publication	
	Date	Comments
© BSI 2009		
ISBN 978 0 580 53123 1		

BS ISO 18145:2003

INTERNATIONAL STANDARD

ISO 18145

First edition 2003-07-15

Environmental tobacco smoke — Determination of vapour phase nicotine and 3-ethenylpyridine in air — Gaschromatographic method

Fumée de tabac ambiante — Dosage de la nicotine et de la 3-éthénylpyridine en phase vapeur dans l'air — Méthode par chromatographie en phase gazeuse



Reference number ISO 18145:2003(E)