

### **BSI Standards Publication**

Thermal insulating products for industrial installations — Determination of the coefficient of linear thermal expansion at sub-ambient temperatures



BS ISO 23766:2022 BRITISH STANDARD

#### National foreword

This British Standard is the UK implementation of ISO 23766:2022.

The UK participation in its preparation was entrusted to Technical Committee B/540/8, Mirror committee for ISO/TC 163 - Thermal Performance and Energy use in the built Environment.

A list of organizations represented on this committee can be obtained on request to its committee manager.

#### **Contractual and legal considerations**

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022 Published by BSI Standards Limited 2022

ISBN 978 0 539 03797 5

ICS 91.100.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2022.

#### Amendments/corrigenda issued since publication

Date Text affected

BS ISO 23766:2022

## INTERNATIONAL STANDARD

ISO 23766

First edition 2022-03-14

# Thermal insulating products for industrial installations — Determination of the coefficient of linear thermal expansion at subambient temperatures

Produits isolants thermiques pour les installations industrielles — Détermination du coefficient de dilatation thermique linéique à des températures inférieures à la température ambiante

