BS 5L 100:2011+A1:2013



BSI Standards Publication

Procedure for inspection, testing and acceptance of wrought aluminium and aluminium alloys



Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2013

Published by BSI Standards Limited 2013

ISBN 978 0 580 81496 9

ICS 49.025.20

The following BSI references relate to the work on this standard: Committee reference ACE/61
Drafts for comment 10/30216239 DC, 13/30276207 DC

Publication history

First published March 1951 Second edition, January 1961 Third edition, August 1971 Fourth edition, April 1993 Fifth (present) edition, December 2011

Amendments issued since publication

Date Text affected

December 2013 A1 See Foreword

Contents

47

Marking 25

Foreword vi Section 1: General requirements 1 Scope 1 1 2 Normative references 1 3 Definitions 2 4 General 5 5 Information and requirements to be agreed and to be documented 5 6 Manufacture and freedom from defects 8 7 Cast aggregation 9 8 Heat treatment 9 9 Chemical composition 9 10 Testing 10 Marking 12 11 12 Protection and packaging 12 13 Certification 13 Section 2: Ingot for hot working 14 General 14 Dimensions and tolerances 14 15 16 Tensile test 14 17 Electrical conductivity measurement 14 18 Internal defects 14 19 External defects 15 20 Marking 15 Section 3: Extruded bar and section for forging 16 21 General 16 22 Manufacture 16 23 Dimensions and tolerances 16 24 Tensile test 16 25 Internal defects 17 26 External defects 17 27 Etch inspection 17 28 Marking 18 Section 4: Bar for machining and extruded section not subject to solution treatment 19 29 General 19 30 Manufacture 19 31 Dimensions and tolerances 19 32 Batch size 20 33 Tensile test 20 34 External defects 20 35 Marking 20 Section 5: Bar for machining and extruded section subject to solution treatment 21 36 General 21 37 Manufacture 21 Dimensions and tolerances 21 38 39 Batch size 22 40 Batch uniformity 22 41 Tensile test 24 Internal defects 24 42 43 External defects 24 44 Etch inspection 24 45 Surface finish 24 46 Resistance to stress corrosion cracking 25