

Aerospace —
Separable tube fittings for fluid
systems, 24 degrees cone —
General specification

ICS 49.080

National foreword

This British Standard reproduces verbatim ISO 7169:1998 and implements it as the UK national standard. It supersedes BS 2M 60:1993 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee ACE/69, Aerospace hydraulic systems, fluids and components, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled 'International Standards Correspondence Index', or by using the 'Find' facility of the BSI Standards Electronic Catalogue.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the ISO title page, pages ii and iii, a blank page, pages 1 to 15 and a back cover.

This British Standard, having been prepared under the direction of the Engineering Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 December 1998

© BSI 1998

ISBN 0 580 32004 9

Amendments issued since publication

Amd. No.	Date	Text affected

INTERNATIONAL
STANDARD

ISO
7169

Third edition
1998-10-01

**Aerospace — Separable tube fittings
for fluid systems, 24° cone — General
specification**

*Aéronautique et espace — Raccordements séparables de tubes à cône
de 24° pour circuits de fluides — Spécifications générales*



Reference number
ISO 7169:1998(E)