

Steel sleepers

ICS 45.080

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee RAE/2, Railway track components, upon which the following bodies were represented:

British Precast Concrete Federation
Confederation of British Forgers
London Underground Ltd.
Prestressed Concrete Association
Railtrack
Railway Industry Association
Society of Chemical Industry
Timber Trade Federation
UK Steel Association

This British Standard, having been prepared under the direction of the Engineering Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 November 2000

© BSI 11-2000

First published November 1956
Second edition November 2000

The following BSI references relate to the work on this standard:
Committee reference RAE/2
Draft for comment 97/710769 DC

ISBN 0 580 33178 4

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Normative references	1
3 Information and requirements to be agreed and to be documented	1
3.1 General	1
3.2 Information to be supplied by the purchaser	1
3.3 Information to be supplied by the manufacturer when tendering to supply	2
4 Sleeper dimension	2
5 Type approval tests	2
5.1 Cyclic loading resistance	2
5.2 Lateral resistance	2
5.3 Electrical resistance	2
6 Marking	2
<hr/>	
Annex A (informative) Advice on achieving and verifying product consistency	3
Annex B (informative) Estimation of the maximum rail seat reactions and lateral forces	4
Annex C (normative) Cyclic loading test procedure	5
Annex D (normative) Method of determining sleeper lateral resistance	10
Annex E (normative) Method of measuring electrical resistance	11
Annex F (normative) Specification for ballast	12
<hr/>	
Bibliography	13
<hr/>	
Figure C.1 — Cyclic loading test arrangement	8
Figure C.2 — Detail of thrust arm	9
Figure D.1 — Ballast box dimensions	10
Figure E.1 — Electrical resistance test arrangement	12
<hr/>	
Table F.1 — Ballast sizes	12
<hr/>	