

BS 1212-4:2016



BSI Standards Publication

Float operated valves

Part 4: Specification for compact type float operated valves for WC flushing cisterns (including floats)

bsi.

...making excellence a habit.™

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2016

Published by BSI Standards Limited 2016

ISBN 978 0 580 87608 0

ICS 91.140.60

The following BSI references relate to the work on this document:

Committee reference B/504

Draft for comment 15/30310921 DC

Publication history

First published October 1991

Second (present) edition February 2016

Amendments issued since publication

Date	Text affected
-------------	----------------------

Contents

Foreword *ii*

1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Materials	3
4.1	Non-metallic materials	3
4.2	Metals	3
5	Design, construction and dimensions	3
5.1	General dimensional requirements	3
5.2	Inlet connections	3
5.3	Backnuts	4
5.4	Water level adjustment	4
5.5	Discharge arrangements	4
6	Performance	5
6.1	Hydraulic pressure	5
6.2	Vacuum testing for backflow prevention	5
6.3	Flow	5
6.4	Endurance	5
6.5	Delayed action inlet valves	6
7	Marking	6

Annexes

Annex A (normative)	Distortion test for backnuts and inlet shanks	7
Annex B (normative)	High pressure shut-off test	8
Annex C (normative)	Low pressure shut-off test	9
Annex D (normative)	Dynamic pressure test	10
Annex E (normative)	Vacuum test	10
Annex F (normative)	Flow test	12
Annex G (normative)	Endurance test	14
Annex H (normative)	Delayed action inlet valve test	14

Bibliography 17

List of figures

Figure 1	– Example of a typical flushing cistern showing size limitations for compact valves	2
Figure 2	– Datum level	3
Figure 3	– Example of a bottom entry valve inlet arrangement	4
Figure A.1	– Example of a test plate	7
Figure B.1	– Apparatus for high pressure shut-off test	8
Figure C.1	– Low pressure shut-off test apparatus	9
Figure E.1	– Typical arrangement of apparatus for backflow prevention test	11
Figure F.1	– Flow test apparatus	13
Figure H.1	– Test rig for delayed action fill valves	15

Summary of pages

This document comprises a front cover, an inside front cover, pages i to ii, pages 1 to 18, an inside back cover and a back cover.