

CONFIRMED
DECEMBER 2007

Specification for

Floats (plastics) for float operated valves for cold water services

ICS 91.140.60



Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Building Services Standards Policy Committee (SEB/-) to Technical Committee SEB/2, upon which the following bodies were represented:

Association of Manufacturers of Domestic Electrical Appliances
 Association of Manufacturers of Domestic Unvented Supply Systems Equipment (MODUSSE)
 Association of Water Officers Ltd.
 British Bathroom Council
 British Gas plc
 British Non-ferrous Metals Federation
 British Plastics Federation
 British Plumbing Fittings Manufacturers' Association
 British Valve and Actuator Manufacturers' Association
 Builders Merchants Federation
 Consumer Policy Committee of BSI
 Department of the Environment (Building Research Establishment)
 Department of the Environment (Property Services Agency)
 Department of the Environment (Water Directorate)
 Department of Trade and Industry (National Weights and Measures Laboratory)
 Institute of Clerks of Works of Great Britain Inc.
 Institute of Plumbing
 Institution of Gas Engineers
 Institution of Water and Environmental Management
 Metal Sink Manufacturers' Association
 National Association of Plumbing, Heating and Mechanical Services Contractors
 Royal Institute of British Architects
 Society of British Gas Industries
 South London Consortium
 Water Companies' Association
 Water Services Association of England and Wales

This British Standard, having been prepared under the direction of the Building Services Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 30 November 1990

© BSI 17 September 2001

First published April 1954
 Second edition October 1973
 Third edition November 1990

The following BSI references relate to the work on this standard:
 Committee reference SEB/2
 Draft for comment 88/14194 DC

Amendments issued since publication

| Amd. No. | Date | Comments |
|----------|----------------|-------------------------|
| 13175 | September 2001 | Indicated by a sideline |
| | | |
| | | |
| | | |

ISBN 0 580 18965 1

Contents

| | Page |
|---|--------------------|
| Committees responsible | Inside front cover |
| Foreword | ii |
| Section 1. General | 1 |
| 1.1 Scope | 1 |
| 1.2 Definitions | 1 |
| 1.3 Marking | 1 |
| 1.4 Colour coding | 1 |
| Section 2. Materials | 3 |
| 2.1 Effect of materials on water quality | 3 |
| 2.2 Plastics materials | 3 |
| 2.3 Copper alloy for boss insert | 3 |
| Section 3. Design and construction | 5 |
| 3.1 Lifting efforts | 5 |
| 3.2 Bosses | 5 |
| Section 4. Test requirements | 7 |
| 4.1 Leakage and hot water test | 7 |
| 4.2 Deflection test | 7 |
| 4.3 Impact test | 7 |
| 4.4 Cold embrittlement test | 7 |
| 4.5 Boss distortion test | 7 |
| Appendix A Information to be supplied by the purchaser | 9 |
| Appendix B Calculation of lifting effort | 9 |
| Appendix C Method of test for leakage and determination of resistance to hot water | 9 |
| Appendix D Method of determining deflection | 10 |
| Appendix E Method of determining resistance to cold embrittlement | 11 |
| Appendix F Method of determining resistance of the boss to distortion | 12 |
| Figure 1 — Deflection test rig | 11 |
| Figure 2 — Example of test bolt | 12 |
| Table 1 — Minimum lifting efforts | 5 |
| Table 2 — Bosses | 5 |
| Publication(s) referred to | Inside back cover |

