

Specification for

# Glass and reference electrodes for the measurement of pH



UDC 648.267.2

Confirmed  
February 2012



## Cooperating organizations

The Laboratory Apparatus Standards Committee, under whose direction this British Standard was prepared, consists of representatives from the following Government departments and scientific and industrial organizations:

Agricultural Research Council  
 Association for Science Education  
 British Laboratory Ware Association  
 British Lampblown Scientific Glassware Manufacturers' Association Limited  
 British Pharmacopoeia Commission\*  
 Chemical Industries Association\*  
 Chemical Society\*  
 Chemical Society, Analytical Division\*  
 Department of Health and Social Security  
 Department of Industry (Laboratory of the Government Chemist)  
 Department of Industry (National Physical Laboratory)\*  
 Glass Manufacturers' Federation  
 Institute of Petroleum  
 Ministry of Defence  
 Pharmaceutical Society of Great Britain  
 Scientific Instrument Manufacturers' Association\*  
 Society of Chemical Industry\*  
 Society of Glass Technology\*  
 Standardization of Tar Products Tests Committee

The organizations marked with an asterisk in the above list, together with the following, were directly represented on the committee entrusted with the preparation of this British Standard:

British Kinematograph, Sound and Television Society  
 Imperial Chemical Industries Limited  
 Institute of Medical Laboratory Sciences  
 Royal Institute of Chemistry  
 Royal Society  
 Sira Institute  
 Society for Applied Bacteriology  
 Society of Dairy Technology  
 University of Newcastle Upon Tyne  
 Individual expert

This British Standard, having been prepared under the direction of the Laboratory Apparatus Standards Committee, was published under the authority of the Executive Board and comes into effect on 31 October 1979

© BSI 12.1.1999

First published March 1965  
 First revision May 1965  
 Second revision October 1979

The following BSI references relate to the work on this standard:  
 Committee reference LBC/16  
 Draft for comment 77/5 1060 DC

ISBN 0 580 10673 2

### Amendments issued since publication

Amd. No.	Date of issue	Comments
3569	April 1981	
5668	October 1987	Indicated by a sideline in the margin

# Contents

	Page
Cooperating organizations	Inside front cover
Foreword	ii
<hr/>	
Section 1. General	
1 Scope	1
2 References	1
3 Definitions	1
<hr/>	
Section 2. pH glass electrodes	
4 pH range and usable temperature range	2
5 General construction and electrical requirements	2
6 Performance requirements at 25 °C	3
7 Information to be given integrally with the pH glass electrode	3
8 Summary of information to be given in the literature provided with pH glass electrodes	3
<hr/>	
Section 3. Reference electrodes	
9 Requirements	4
10 Summary of information to be given in literature provided with reference electrodes	5
<hr/>	
Section 4. pH combination or dual electrodes	
11 Requirements	5
12 Summary of information to be given in literature provided with combination electrodes	5
<hr/>	
Appendix A Method of testing performance of pH glass electrodes	7
Appendix B Performance tests for reference electrodes	11
<hr/>	
Table 1 — Maximum permitted glass electrode errors at 25 °C dependent on stated usable upper pH limit	4
Table 2 — Composition of special buffer solutions	7
Table 3 — Observed potential differences (in millivolts) for a perfect electrode responding to hydrogen ions transferred between Na <sup>+</sup> -free solutions	8
Table 4 — Observed potential differences (in millivolts) for a perfect glass electrode transferred between solutions of various Na <sup>+</sup> concentrations at approximately constant pH	8
<hr/>	
Publications referred to	Inside back cover

