

Haemiglobincyanide (cyanmethaemoglobin) preparation as a standard for spectrometric haemoglobinometry

ICS 11.100

Confirmed
October 2008

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee CH/212, In vitro diagnostics, upon which the following bodies were represented:

Association of Anaesthetists of Great Britain and Northern Ireland
 Association of British Healthcare Industries (ABHI)
 Association of Clinical Biochemists
 Association of the British Pharmaceutical Industry
 Association of the Laboratory Supply Industry (BLWA Ltd.)
 British Blood Transfusion Society
 British Diabetic Association
 British Glass Manufacturers Confederation
 British In Vitro Diagnostics Association
 British Society for Antimicrobial Chemotherapy
 British Society for Haematology
 Clinical Pathology Accreditation (UK)
 Department of Health, Medical Devices Agency
 Department of Health, Medicines Control Agency
 Guild of Hospital Pharmacists
 Institute of Biomedical Science
 Institute of Quality Assurance
 Medical Sterile Products Association
 National Institute for Biological Standards and Control
 Parenteral Society
 Radcliffe Hospital, Oxford
 Royal College of Pathologists
 Royal Society of Health
 Scottish National Blood Transfusion Service
 United Kingdom National External Quality Assessment Service (UK NEQAS)
 Coopted members

This British Standard, was published under the authority of the Standards Policy and Strategy Committee on 10 October 2003

© BSI 10 October 2003

First published January 1966
 Second edition September 1978
 Third edition October 2003

The following BSI references relate to the work on this British Standard
 Committee reference CH/212
 Draft for comment 03/107403

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Terms and definitions	1
3 Material	1
4 Concentration	1
5 Purity	2
6 Expiry date	2
7 Inscriptions on ampoules	2
8 Inscriptions on containers	3
<hr/>	
Annex A (informative) Method for use of standard for estimation of haemoglobin in a blood sample	4
<hr/>	
Bibliography	7
<hr/>	
Figure 1 — Absorption curve for haemoglobinocyanide solution	3
<hr/>	