BS 4551:2005 +A2:2013 Incorporating Corrigenda Nos. 1 and 2

## Mortar — Methods of test for mortar and screed — Chemical analysis and physical testing

ICS 91.100.10



NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

## Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Subommittee B/519/2, Mortar, upon which the following bodies were represented: Autoclaved Aerated Concrete Products Association Brick Development Association British Cement Association British Lime Association CERAM Cementitious Slag Makers Association Civil Testing Machine Manufacturers' Association Department of the Environment (Building Research Establishment) Federation of Plastering and Drywall Contractors Institute of Concrete Technology Institution of Structural Engineers National House-Building Council National Specialist Contractors Council **Quarry Products Association** United Kingdom Quality Ash Association Vermiculite Association Co-opted members

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 22 August 2005

© The British Standards Institution 2014 Published by BSI Standards Limited 2014

First published as BS 4551-1 and BS 4551-2 February 1998

The following BSI references relate to the work on this British Standard:

Committee reference B/519/2 Drafts for comment 05/30125494 09/30167521 12/30274515

ISBN 978 0 580 86979 2

## Amendments/corrigenda issued since publication

Amd. No.	Date	Comments
A1	31 January 2010	See Foreword
A2	31 May 2013	See Foreword
C1	31 May 2013	Corrigendum to remove mark up instructions in subclause <b>9.4.4</b>
C2	30 June 2014	Corrigendum to update the front cover and amendments table

## Contents

	Inside front co	
Fore	eword	]
1	Scope	
2	Normative references	
3	Terms and definitions	
4	Symbols and designations	
5	Sampling	
6 7	Physical tests	
7	Chemical analysis	0
8 9	Reports for chemical analysis	2
-	Calculation of mix proportions and interpretation of results	2
prop	ex A (informative) Information relevant to the calculations of mix portions of hardened mortars, screeds and plasters	3
	ex B (informative) Estimates of precision in the analysis of hardened tars/screeds	9
Bibl	iography	3
Figu	re 1 — Diagrammatic representation of ball release	
Figu	re 2 — Suitable device for measuring penetration	
Tab	le 1 — Representative sample sizes	
Tab	le 2 — Available lime contents of nominal volume mixes	2
	le 3 — Equations for the calculation of composition of freshly mixed or lened mortars, screeds, plasters and renders	6 4
Table 4 — Composition of types of mortars, plasters and renders: Cement: fine aggregate (sand) mortars and plasters (including air entrained)		2
Table 5 — Compositon of types of screeds: Cement: fine aggregate (sand) screeds		
Table 6 — Composition of types of mortars, plasters and renders: Masonry cement: fine aggregate (sand) mortars and plasters		
Table 7 — Composition of types of mortars, plasters and renders: Cement: lime: fine aggregate (sand) mortars and plasters		
Tab	le 8 — Composition of types of mortars, plasters and renders: Gypsum: : fine aggregate (sand) plaster	2
	le 9 — Dry bulk densities of material constituents	2
	le 10 — Standard values for hardened mortars, screeds and plasters	2
Tab	le B.1 — Precision estimates for cement content expressed as a entage of the mass of dry ingredients (fine aggregate (sand) corrections	(J.)
	le B.2 — Precision estimates for hydrated lime content expressed as a entage mass of dry ingredients (fine aggregate (sand) corrections ied)	ç
Tab	le B.3 — Precision data: analysis for percentage cement by mass — trol samples of fine aggregate (sand)s used	e e
Con	le B.4 — Precision data: analysis for percentage lime by mass — trol samples of fine aggregate (sand)s used	ç
one	le B.5 — Precision data: fine aggregate (sand) volume proportions to volume of cement	ę
Tab cem	le B.6 — Precision data: lime volume proportions to one volume of ent	ç
	le B.7 — Numbers of outliers and stragglers found in the precision eriment	ç