

Fire detection and fire alarm devices for dwellings —

Part 2: Specification for heat alarms

ICS 13.220.20

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee FSH/12, Fire detection and alarm systems, to Subcommittee FSH/12/2, Fire detectors, upon which the following bodies were represented:

British Fire Protection Systems Association
 BRE/LPC Laboratories
 BSI Testing — Product Certification
 Building Research Establishment
 Consumer Policy Committee of BSI
 Department of Health — NHS Estates
 Electricity Association
 Energy Industries Council
 London Fire and Emergency Planning Authority
 Maritime and Coastguard Agency
 Ministry of Defence — UK Defence Standardization
 National Caravan Council Limited
 National Inspection Council for Electrical Equipment
 Office of the Deputy Prime Minister
 Royal National Institute for Deaf People

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 21 March 2003

© BSI 21 March 2003

Amendments issued since publication

Amd. No.	Date	Comments

The following BSI references relate to the work on this British Standard:

Committee reference FSH/12/2
 Draft for comment 02/540552 DC

ISBN 0 580 41344 6

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Constructional requirements	2
5 Operational requirements	3
6 Marking	8
7 Provision of information	9
<hr/>	
Annex A (normative) Test methods	10
Annex B (normative) Test schedule	18
Annex C (normative) Heat tunnel for response time and response temperature measurements	20
Annex D (informative) Information concerning the construction of the heat tunnel	20
Annex E (informative) Derivation of upper and lower limits of response times	23
Annex F (informative) Typical apparatus for impact test	25
Annex G (normative) Safety requirements	27
<hr/>	
Bibliography	29
<hr/>	
Figure A.1 — Battery fault warning test circuit	15
Figure D.1 — Example of working section of heat tunnel	22
Figure D.2 — Example of mounting arrangement for simultaneously testing two detectors	22
Figure F.1 — Impact apparatus	26
<hr/>	
Table 1 — Heat alarm classification temperatures	4
Table 2 — Response time limits from typical application temperature	4
Table 3 — Response time limits from maximum application temperature	5
Table B.1 — Test schedule for resettable heat alarms	19
Table E.1 — Thermal constants used to derive upper limits in Table 2 and Table 3	23
<hr/>	