

Graphical symbols and signs —

Safety signs, including fire safety signs —

Part 6: Creation and design of graphical symbols for use in safety signs — Requirements

ICS 01.080.99; 13.220.99

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee PH/8, Graphical symbols and signs, to Subcommittee PH/8/1, Safety signs (including fire safety signs), upon which the following bodies were represented:

Association of British Theatre Technicians
 BRE/LPC Laboratories
 British Fire Consortium
 British Sign and Graphics Association
 Cinema Exhibitors Association
 Consumer Policy Committee of BSI
 Electricity Association
 Guild of Architectural Ironmongers
 Health and Safety Sign Association
 Home Office
 Institute of Fire Safety
 Lighting Industry Federation Limited
 London Fire and Emergency Planning Authority
 Manchester Metropolitan University, Department of Psychology and Speech Pathology
 Ministry of Defence — UK Defence Standardization
 National Illumination Committee of Great Britain
 Photoluminescent Safety Products Association
 Railtrack
 Royal Institute of British Architects
 Royal Life Saving Society UK
 Royal Society for the Prevention of Accidents
 Sign Design Society Limited
 South Yorkshire Fire Prevention Association and Fire Liaison Panel
 Theatres Advisory Council
 Coopted members

The following body was also represented in the drafting of the standard through a panel:

Health and Safety Executive

This British Standard, having been prepared under the direction of the Health and Environment Sector Policy and Strategy Committee, was published under the authority of the Standards Policy and Strategy Committee on 26 November 2002

© BSI 26 November 2002

Amendments issued since publication

Date	Amd. No.	Comments

The following BSI references relate to the work on this British Standard:

Committee reference PH/8/1
 Draft for comment 02/586206 DC

ISBN 0 580 40695 4

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Creation procedure	3
5 Types of signs	4
6 Assignment of meaning, function and image content to the safety sign	6
7 Design of the graphical symbol	6
8 Layout of templates	11
<hr/>	
Annex A (informative) Checklist for designers	16
Annex B (informative) Colour and file format	17
Annex C (informative) Additional design guidelines	18
Annex D (informative) Representation of the human figure	21
Annex E (informative) Representation of water in water safety signs	24
<hr/>	
Bibliography	28
<hr/>	
Index	29
<hr/>	
Figure 1 — Example of assignment of meaning, function and image content to a safety sign	6
Figure 2 — Example of the use of line thickness and line spacing in a graphical symbol	7
Figure 3 — Example of critical detail	8
Figure 4 — Example of a combination of graphical symbols to form a new graphical symbol	9
Figure 5 — Examples of the use of a determinant	10
Figure 6 — Prohibition sign template	11
Figure 7 — Mandatory sign template	12
Figure 8 — Hazard sign template	13
Figure 9 — Safe condition sign and fire equipment sign templates	14
Figure 10 — Examples of safety signs incorporating graphical symbols created in accordance with Clause 7 and Clause 8	15
Figure C.1 — Example of filled area	18
Figure C.2 — Example of a symmetrical graphical symbol	19
Figure C.3 — Example of arrow with Belgian head	20
Figure D.1 — Anterior and posterior view of human figure	21
Figure D.2 — Lateral views of human figure	21
Figure D.3 — Example of an outline figure	22
Figure D.4 — Example of dynamic depiction of a hazard	23
Figure E.1 — Examples of water safety signs involving activities on the water surface or above it	25
Figure E.2 — Example of water safety sign involving an activity beneath the water surface	26
Figure E.3 — Examples of water safety signs involving varying depths of water (and not activities)	27
<hr/>	
Table 1 — Geometric shapes, safety colours and contrast colours of templates for safety signs	5
Table B.1 — Recommended colour reference systems and colour values for use in the design of safety sign originals	17
<hr/>	