

Methods of analysis of
**Wood preservatives and
treated timber —**

Part 2: Qualitative analysis

NOTE It is essential that this Part is read in conjunction with Part 1 "General considerations and sampling and preparation of materials for analysis".

UDC 674.048:60*841543.061



Confirmed
November 2008



A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.



Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 10, an inside back cover and a back cover

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Wood Preservation Standards Committee, was published under the authority of the Executive Board and comes into effect on 30 January 1981

© BSI 09-1999

The following BSI references relate to the work on this standard:
Committee reference WPC/11
Draft for comment 79/53081 DC

ISBN 0 580 11643 3

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page	
1	Scope and field of application	1
2	References	1
3	Preliminary inspection of the sample	1
4	Qualitative tests on timber sections	1
5	Qualitative tests on extracts from treated timber and preservative solutions	3
Appendix A Differentiation of heartwood and sapwood in <i>Pinus</i> species		9
Figure 1 — The Stahl oven		7
Figure 2 — Apparatus for qualitative arsenic determination		8
Table 1 — R_F values		5
Table 2 — Detection limits		6
Publications referred to		Inside back cover

