

Methods of analysis of

Wood preservatives and treated timber —

Part 3: Quantitative analysis of preservatives and treated timber containing copper/chromium/arsenic formulations



NOTE It is essential that this Part is read in conjunction with Part 1 "Guide to sampling and preparation of wood preservatives and treated timber for analysis".

Confirmed November 2008

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Wood Preservation Standards Policy Committee (WPC/-) to Technical Committee WPC/11, upon which the following bodies were represented:

Association of Consulting Scientists
 British Drier Manufacturers' Association
 British Wood Preserving and Damp-proofing Association
 Department of the Environment (Building Research Establishment)
 Ministry of Defence

This British Standard, having been prepared under the direction of the Wood Preservation Standards Policy Committee, was published under the authority of the Board of BSI and comes into effect on 28 February 1991

© BSI 07-1999

First published February 1979
 Second edition February 1991

The following BSI references relate to the work on this standard:
 Committee reference WPC/11
 Draft for comment 89/50550 DC

ISBN 0 580 18580 X

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Method 1. Atomic absorption spectrometric method	1
3 Method 2. Colorimetric method	3
4 Test report	7
Figure 1 — Apparatus for arsenic determination	8
Publication(s) referred to	Inside back cover

