

Specification for the installation and maintenance of gas fires, convector heaters, fire/back boilers and decorative fuel effect gas appliances —

**Part 3: Decorative fuel effect gas
appliances of heat input not exceeding
20 kW (2nd and 3rd family gases)**

ICS 97.100.20

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee GSE/30, Gas installations (1st, 2nd and 3rd family gases), upon which the following bodies were represented:

Boiler and Radiator Manufacturers Association Ltd.
British Flue and Chimney Manufacturers Association
BSI Consumer Policy Committee
Catering Equipment Suppliers' Association
Centrica plc
Council for Registered Gas Installers
Department of Trade and Industry
Health and Safety Executive
Heating and Ventilating Contractors' Association
ICOM Energy Association
Institute of Domestic Heating and Environmental Engineers
Institution of Gas Engineers and Managers
L P Gas Association
Society of British Gas Industries
Co-opted members

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 13 April 2005

© BSI 13 April 2005

First published September 1991
Second edition July 2001
Third edition April 2005

Amendments issued since publication

Amd. No.	Date	Comments

The following BSI references related to the work on this British Standard:
Committee reference GSE/30
Draft for Development
03/320606 DC

Contents

Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Exchange of information and planning	4
5 Appliances	4
6 Materials and components	6
7 Location	6
8 Ventilation	8
9 Flueing	10
10 Appliance fixing	18
11 Fire and related safety precautions	20
12 Gas supply	24
13 Electricity supplies and wiring	25
14 Commissioning	25
15 Instructions and use of fireguards	26
16 Advice to be given to the user	26
<hr/>	
Annex A (informative) Calculation of clearance flue flow	28
<hr/>	
Bibliography	38
<hr/>	
Figure 1 — Type of fuel effect gas appliances covered by BS 5871	7
Figure 2 — Flue/fireplace sizing chart for decorative fuel effect gas appliances	13
Figure 3 — Appliance installation in typical flue box	15
Figure 4 — Unsuitable terminations	16
Figure 5 — Typical fireplaces in which appliance may be installed	21
Figure 6 — Constraints required to determine chimney size using method 2 for cases 4, 5 and 6	22
Figure A.1 — Bubble leak indicator	33
Figure A.2 — Basic test box	34
Figure A.3 — Test box and flue for appliances that can be installed in a metal flue box	35
Figure A.4 — Collecting hood	36
Figure A.5 — Collecting hood positioning	37
<hr/>	
Table 1 — Designation system for metal chimneys for use with gas fires	12
Table A.1 — Test internal air pressure	28
Table A.2 — Wobbe number for test gases	29
Table A.3 — Inlet pressure for tolerances	29
Table A.4 — <i>K</i> values for reference gases	32
<hr/>	