

Methods of sampling and test for

# Carbonaceous materials used in aluminium manufacture —

Part 4: Cold ramming pastes —

Section 4.10 Determination of the  
apparent porosity of baked rammed  
paste



NOTE It is recommended that this Section be read in conjunction with the general information in BS 6043-4.0, published separately.

Confirmed  
November 2008

## Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Chemicals Standards Policy Committee (CIC/-) to Technical Committee CIC/24, upon which the following bodies were represented:

Aluminium Federation  
 British Ceramic Research Ltd.  
 Chemical Industries Association  
 Institute of Petroleum  
 Refractories Association of Great Britain

This British Standard, having been prepared under the direction of the Chemicals Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 30 September 1991

© BSI 10-1999

The following BSI references relate to the work on this standard:  
 Committee reference CIC/24  
 Draft for comment 90/54850 DC

ISBN 0 580 19935 5

### Amendments issued since publication

Amd. No.	Date	Comments

# Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Principle	1
3 Reagent	1
4 Apparatus	1
5 Materials	1
6 Sampling	1
7 Preparation of test samples	1
8 Procedure	1
9 Calculation and expression of results	1
10 Test report	2
<hr/>	
Publication(s) referred to	Inside back cover

