

Electric surface heating —

Part 2: Guide to the design of electric surface heating systems

UDC 621.365.3/.4:669-408

Cooperating organizations

The Power Electrical Engineering Standards Committee, under whose direction this British Standard was prepared, consists of representatives from the following:

Associated Offices Technical Committee
 British Electrical and Allied Manufacturers' Association (BEAMA)
 British Railways Board
 British Steel Corporation*
 Department of Energy, Electricity
 Department of Industry
 Electrical Contractors' Association
 Electrical Contractors' Association of Scotland
 Electricity Supply Industry in England and Wales*
 Energy Industries Council*
 Engineering Equipment and Materials Users' Association*
 ERA Technology Ltd.
 Institute of Purchasing and Supply
 Institution of Electrical Engineers*
 Ministry of Defence*
 National Coal Board
 National Economic Development Office
 Trades Union Congress

The organizations marked with an asterisk in the above list, together with the following, were directly represented on the Technical Committee entrusted with the preparation of this British Standard:

BCIRA
 British Gas Corporation
 British National Committee for Electroheat
 Committee for Electrical Equipment for use in Flammable
 Atmosphere (BEAMA)
 Glass Manufacturers' Federation
 Health and Safety Executive
 Induction and Dielectric Heating Manufacturers' Association
 Lighting Industry Federation Ltd.

This British Standard, having been prepared under the direction of the Power Electrical Engineering Standards Committee, was published under the authority of the Board of BSI and comes into effect on 31 March 1983

© BSI 02-1999

The following BSI references relate to the work on this standard:
 Committee reference PEL/87
 Draft for comment 78/29754 DC

ISBN 0 580 13249 8

Amendments issued since publication

Amd. No.	Date of issue	Comments

Contents

	Page
Cooperating organizations	Inside front cover
Foreword	ii
<hr/>	
0 Introduction	1
1 Scope	1
2 Definitions	1
3 Minimum safety requirements for ESH devices and control equipment	1
4 Thermal insulation	4
5 Wiring systems	4
6 System design guide	5
<hr/>	
Appendix A Heat loss calculations	9
Appendix B Calculation of spiral pitch	13
Appendix C Worked example	15
Appendix D Mathematical formulae	17
Appendix E Meteorological data	21
<hr/>	
Figure 1 — Graph for use in calculating cladding surface temperature	20
<hr/>	
Table 1 — Service categories	1
Table 2 — Minimum requirements for ESH systems	2
Table 3 — Minimum requirements for ESH systems with type of protection “N”	2
Table 4 — Minimum requirements for ESH systems with type of protection “e”	3
Table 5 — Normalized loss factor	11
Table 6 — Cladding surface temperature rise above 40 °C for $\xi=0.8$	12
Table 7 — Cladding surface temperature rise above 40 °C for $\xi=0.3$	13
Table 8 — Normalized pitch, N_p	14
Table 9 — Hypothetical manufacturer’s specification	16
Table 10 — Selection of ESH device	16
<hr/>	
Publication referred to	Inside back cover
<hr/>	