

Domestic oven gloves — Requirements and test methods

ICS 13.340.10

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee PH/3, Protective clothing, to Subcommittee PH/3/8, Protective gloves, upon which the following bodies were represented:

British Agrochemicals Association Ltd.
British Glove Association
British Leather Confederation
British Motorcyclists Federation
British Railways Board
British Rubber Manufacturer's Association Ltd.
British Safety Industry Federation
British Textile Technology Group
Chief and Assistant Chief Fire Officers Association
European Resin Manufacturer's Association
Fire Brigades Union
Health and Safety Executive
Home Office
Ministry of Defence
Personal Safety Manufacturer's Association
RAPRA Technology Ltd.
SATRA Technology Centre
Textile Services Association Ltd.

This British Standard, having been prepared under the direction of the Health and Environment Sector Board, was published under the authority of the Standards Board and comes into effect on 15 September 1998

© BSI 1 October 2002

First published September 1984
Second edition September 1998

The following BSI references relate to the work on this standard:
Committee reference PH/3/8
Draft for comment DC/541318 DC

ISBN 0 580 29586 9

Amendments issued since publication

Amd. No.	Date	Comments
13967	1 October 2002	See national foreword

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
Introduction	1
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Construction and performance	2
5 Marking	3
<hr/>	
Annex A (normative) Method for the determination of the rate of thermal diffusion through domestic oven gloves	5
Annex B (informative) Design recommendations for domestic oven gloves	9
<hr/>	
Bibliography	11
<hr/>	
Figure 1 — Dimensions for gloves joined in pairs with straight pockets	3
Figure 2 — Dimensions for gloves joined in pairs with slanted pockets	4
Figure 3 — Gloves with a thumb — Minimum internal width	4
Figure A.1 — Brass cylinder	6
Figure A.2 — Mounting stand	7
