Evaluation and measurement for vibration in buildings—

Part 2: Guide to damage levels from groundborne vibration



Confirmed December 2009



Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the General Mechanical Engineering Standards Policy Committee (GM E/-) to Technical Committee GM E/21, upon which the following bodies were represented:

Electricity Association

Federation of Civil Engineering Contractors

Imperial College of Science and Technology

Institute of Sound and Vibration Research

Institution of Mechanical Engineers

Lloyds Register of Shipping

Ministry of Defence

Open University

Power Generation Contractors' Association (BEAMA Ltd.)

Railway Industry Association of Great Britain

Sira Test and Certification Ltd.

Society of British Aerospace Companies Limited

University of Manchester

The following bodies were also represented in the drafting of the standard, through subcommittees and panels:

Association of Consulting Engineers

British Coal Corporation

British Railways Board

British Society for Strain Measurements

Department of the Environment (Building Research Establishment)

Department of Trade and Industry (National Engineering Laboratory)

Department of Transport (Transport Research Laboratory)

Health and Safety Executive

Heriot-Watt University

Institute of Acoustics

Institute of Explosives Engineers

Institution of Environmental Health Officers

University of Leeds

This British Standard, having been prepared under the direction of the General Mechanical Engineering Standards Policy Committee, was published under the authority of the Standards Board and comes into effect on 15 November 1993

© BSI 02-1999

The following BSI references relate to the work on this standard:

Committee reference GMR/21 Dmft for comment 92/88081 D C

ISBN 0 580 221881

Am en dm ent s issued sin ce publication

Amd. No.	Date	Comments

Contents

		Page
Cor	mmittees respon sible	Inside front cover
Fo1	reword	ii
Int	roduction	1
1	Scope	1
2	References	1
3	Definition s	1
4	Characteristics of building vibration	2
5	Factors to be considered in building response	2
6	Mea surement of vibration	3
7	Assessment of vibration	4
An	nex A (informative) Cracking in buildings	7
An	nex B (informative) Data to record during a survey	8
An	nex C (informative) Building damage due to soil compaction	n 9
Fig	ure 1 — Transient vibration guide values for cosmetic dam	iage 6
Ta	ble 1 — Transient vibration guide values for cosmetic dama	ige 5
Lis	t of references	Inside back cover



© BSI 02-1999