

BRITISH STANDARD

**Electric cables –
Armoured cables with
thermosetting insulation
for rated voltages from
3.8/6.6 kV to 19/33 kV
having low emission of
smoke and corrosive gases
when affected by fire –
Requirements and test
methods**

ICS 29.060.20

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2008

ISBN 978 0 580 64040 7

The following BSI references relate to the work on this standard:

Committee reference GEL/20/16

Draft for comment 07/30143023 DC

Publication history

First published June 1996

Second edition, December 2000

Third edition, November 2007

Amendments issued since publication

| Amd. no. | Date | Text affected |
|-----------------|-------------|---------------------------------|
| C1 | August 2008 | See 21.6 and 21.7 |

Contents

Foreword *iii*

| | | |
|-----------|--|-----------|
| 1 | Scope | <i>1</i> |
| 2 | Normative references | <i>1</i> |
| 3 | Terms and definitions | <i>2</i> |
| 4 | Voltage designation | <i>4</i> |
| 5 | Non-metallic materials | <i>4</i> |
| 6 | Conductors | <i>4</i> |
| 7 | Conductor screen | <i>4</i> |
| 8 | Insulation | <i>4</i> |
| 9 | Insulation screen | <i>5</i> |
| 10 | Assembly of three-core cables, including inner coverings and fillers | <i>5</i> |
| 11 | Metallic layer | <i>7</i> |
| 12 | Metallic armour | <i>8</i> |
| 13 | Oversheath | <i>9</i> |
| 14 | Marking | <i>10</i> |
| 15 | End sealing | <i>11</i> |
| 16 | Schedule of tests | <i>12</i> |
| 17 | Test conditions | <i>14</i> |
| 18 | Routine tests | <i>14</i> |
| 19 | Sample tests | <i>16</i> |
| 20 | Type tests – Materials | <i>21</i> |
| 21 | Type tests – Electrical | <i>25</i> |

Annexes

| | | |
|-----------------------|--|-----------|
| Annex A (informative) | Recommendations for the selection of cables | <i>29</i> |
| Annex B (normative) | Information to be supplied and items to be agreed | <i>32</i> |
| Annex C (informative) | Recommendations for the installation of cables | <i>33</i> |
| Annex D (informative) | Guide to use of cables | <i>36</i> |
| Annex E (normative) | Fictitious calculation method for determination of dimensions of protective coverings | <i>38</i> |
| Annex F (normative) | Rounding of numbers | <i>43</i> |
| Annex G (informative) | Guidance on the scope of type tests | <i>44</i> |
| Annex H (normative) | Thickness measurements | <i>47</i> |
| Annex I (normative) | Test method for cold strippability of the extruded semi-conducting layer of an insulation screen | <i>47</i> |
| Annex J (normative) | Method for measurement of resistivity of extruded semi-conducting conductor screen and insulation screen | <i>48</i> |
| Annex K (normative) | Method for measurement of resistivity of lapped inner covering | <i>51</i> |
| Annex L (normative) | Wet compatibility test for galvanized steel wires and semi-conducting tape layers | <i>52</i> |
| Annex M (normative) | Abrasion test | <i>53</i> |
| Annex N (normative) | Test for shrinkage of oversheath on cable | <i>54</i> |
| Annex O (normative) | Insulation resistance constant test on oversheath | <i>55</i> |

Bibliography *56*