

Guide to the acquisition and management of meteorological precipitation data —

Part 3: Specification for raingauges —

Section 3.2: Tipping bucket raingauge

ICS 07.060

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee CPI 113, Hydrometry, to Subcommittee CPI 113/5, Measuring instruments and equipment, upon which the following bodies were represented:

British Hydrological Society

Environment Agency

GAMBICA Association Ltd.

Co-opted members

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 5 January 2005

© BSI 5 January 2005

Amendments issued since publication

Amd. No.	Date	Comments

The following BSI references relate to the work on this standard:

Committee reference:
CPI 113/5

Draft for comment
04/30037117 DC

Contents

Committees responsible	Inside front cover
Foreword	ii
1 Scope	1
2 Principle of operation	1
3 Performance specification	1
4 Physical attributes	4
5 Environmental considerations	8
6 Installation requirements	9
7 Maintenance requirements	10
Annex A (normative) Calibration of tipping bucket raingauges	13
Bibliography	19
Figure 1a) — Tipping bucket operation — Position “A” before tip event	2
Figure 1b) — Tipping bucket operation — Position “B” after tip event	2
Figure 2 — Typical tipping bucket raingauge	3
Figure 3a — Typical TBR, sectional side view, labelled components	6
Figure 3b — Typical TBR, view from above, labelled components	7
Figure 4 — Tipping bucket assembly	11
Figure 5 — Typical filter assembly	12
Figure A.1 — Constant rate pump calibration facility	16
Figure A.2 — Detail of meniscus	17
Table 1 — Summary of static performance requirements	1
Table 2 — Summary of dynamic performance requirements	4
Table 3 — Summary of physical attribute requirements	5
Table 4 — Summary of operational environmental considerations	8
Table 5 — Summary of storage environmental considerations	9
Table 6 — Summary of installation requirements	9
Table 7 — Summary of maintenance requirements	10